

Označenie reťaze	Rozteč	Priemer val.	Vnútrná šírka	Čap	Doštička článku	Priečna rozteč	Minim. pevn.	Priemer. pevn.	Priemer. hmot			
ISO	P	A	B	C	D	E	g	F	H	kN	kN	kg/m

### Simplex


ASA 25-1	04A-1	6,350	3,30	3,18	2,31	7,90	8,40	0,80	6,00	–	3,50	4,60	0,15
ASA 35-1	06A-1	9,525	5,08	4,77	3,58	12,40	13,17	1,30	9,00	–	7,90	10,80	0,33
ASA 40-1	08A-1	12,700	7,95	7,85	3,96	16,60	17,80	1,50	12,00	–	14,1	17,5	0,62
ASA 50-1	10A-1	15,875	10,16	9,40	5,08	20,70	22,20	2,03	15,09	–	22,2	29,4	1,02
ASA 60-1	12A-1	19,050	11,91	12,57	5,94	25,90	27,70	2,42	18,00	–	31,8	41,5	1,50
ASA 80-1	16A-1	25,400	15,88	15,75	7,92	32,70	35,00	3,25	24,00	–	56,7	69,4	2,60
ASA 100-1	20A-1	31,750	19,05	18,90	9,53	40,40	44,70	4,00	30,00	–	88,5	109,2	3,91
ASA 120-1	24A-1	38,100	22,23	25,22	11,10	50,30	54,30	4,80	35,70	–	127,0	156,3	5,62
ASA 140-1	28A-1	44,450	25,40	25,22	12,70	54,40	59,00	5,60	41,00	–	172,4	212,0	7,50
ASA 160-1	32A-1	50,800	28,58	31,55	14,27	64,80	69,60	6,40	47,80	–	226,8	278,9	10,10
ASA 180-1	36A-1	57,150	35,71	35,48	17,46	72,80	78,60	7,20	53,60	–	280,2	341,8	13,45
ASA 200-1	40A-1	63,500	39,68	37,85	19,85	80,30	87,20	8,00	60,00	–	353,8	431,6	16,15
ASA 240-1	48A-1	76,200	47,63	47,63	23,81	95,50	103,00	9,50	72,39	–	510,3	622,5	23,20

### Duplex

ASA 25-2	04A-2	6,350	3,30	3,18	2,31	14,50	15,00	0,80	6,00	6,40	7,00	8,60	0,28
ASA 35-2	06A-2	9,525	5,08	4,77	3,58	22,50	23,30	1,30	9,00	10,13	15,80	19,70	0,63
ASA 40-2	08A-2	12,700	7,95	7,85	3,96	31,00	32,20	1,50	12,00	14,38	28,2	35,9	1,12
ASA 50-2	10A-2	15,875	10,16	9,40	5,08	38,90	40,40	2,03	15,09	18,11	44,4	58,1	2,00
ASA 60-2	12A-2	19,050	11,91	12,57	5,94	48,80	50,50	2,42	18,00	22,78	63,6	82,1	2,92
ASA 80-2	16A-1	25,400	15,88	15,75	7,92	62,70	64,30	3,25	24,00	29,29	113,4	141,8	5,15
ASA 100-2	20A-2	31,750	19,05	18,90	9,53	76,40	80,50	4,00	30,00	35,76	177,0	219,4	7,80
ASA 120-2	24A-2	38,100	22,23	25,22	11,10	95,80	99,70	4,80	35,70	45,44	254,0	314,9	11,70
ASA 140-2	28A-2	44,450	25,40	25,22	12,70	103,30	107,90	5,60	41,00	48,87	344,8	427,5	15,14
ASA 160-2	32A-2	50,800	28,58	31,55	14,27	123,30	128,10	6,40	47,80	58,55	453,6	562,4	20,14
ASA 180-2	36A-2	57,150	35,71	35,48	17,46	138,60	144,40	7,20	53,60	65,84	560,5	695,0	29,22
ASA 200-2	40A-2	63,500	39,68	37,85	19,85	151,90	158,80	8,00	60,00	71,55	707,6	877,4	32,24
ASA 240-2	48A-2	76,200	47,63	47,63	23,81	183,40	190,80	9,50	72,39	87,83	1020,6	1255,3	45,23

### Triplex

ASA 25-3	04A-3	6,350	3,30	3,18	2,31	21,00	21,50	0,80	6,00	6,40	10,50	12,60	0,44
ASA 35-3	06A-3	9,525	5,08	4,77	3,58	32,70	33,50	1,30	9,00	10,13	23,70	28,60	1,05
ASA 40-3	08A-3	12,700	7,95	7,85	3,96	45,40	46,60	1,50	12,00	14,38	42,3	50,0	1,90
ASA 50-3	10A-3	15,875	10,16	9,40	5,08	57,00	58,50	2,03	15,09	18,11	66,6	77,8	3,09
ASA 60-3	12A-3	19,050	11,91	12,57	5,94	71,50	73,30	2,42	18,00	22,78	95,4	111,1	4,54
ASA 80-3	16A-3	25,400	15,88	15,75	7,92	91,70	93,60	3,25	24,00	29,29	170,1	198,4	7,89
ASA 100-3	20A-3	31,750	19,05	18,90	9,53	112,20	116,30	4,00	30,00	35,76	265,5	309,6	11,77
ASA 120-3	24A-3	38,100	22,23	25,22	11,10	141,40	145,20	4,80	35,70	45,44	381,0	437,2	17,53
ASA 140-3	28A-3	44,450	25,40	25,22	12,70	152,20	156,80	5,60	41,00	48,87	517,2	593,3	22,20
ASA 160-3	32A-3	50,800	28,58	31,55	14,27	181,80	186,60	6,40	47,80	58,55	680,4	780,6	30,02
ASA 180-3	36A-3	57,150	35,71	35,48	17,46	204,40	210,20	7,20	53,60	65,84	840,7	983,6	38,22
ASA 200-3	40A-3	63,500	39,68	37,85	19,85	223,50	230,40	8,00	60,00	71,55	1061,4	1217,8	49,02
ASA 240-3	48A-3	76,200	47,63	47,63	23,81	271,30	278,60	9,50	72,39	87,83	1530,9	1756,5	71,60



Označenie reťaze	Rozteč	Priemer val.	Vnútna šírka		Čap		Doštička článku		Priečna rozteč	Minim. pevn.	Priemer. pevn.	Priemer. hmot
ISO	P	A	B	C	D	E	F	g	H	kN	kN	kg/m

**americká norma**

**Simplex**

ASA 40H-1	08AH-1	12,700	7,95	7,85	3,96	18,80	19,90	12,00	2,03	14,10	19,1	0,82
ASA 50H-1	10AH-1	15,875	10,16	9,40	5,08	22,10	23,40	15,09	2,42	22,20	30,2	1,25
ASA 60H-1	12AH-1	19,050	11,91	12,57	5,94	29,20	31,00	18,00	3,25	31,80	42,7	1,87
ASA 80H-1	16AH-1	25,400	15,88	15,75	7,92	36,20	37,70	24,00	4,00	56,70	71,4	3,10
ASA 100H-1	20AH-1	31,750	19,05	18,90	9,53	43,60	46,90	30,00	4,80	88,50	112,4	4,52
ASA 120H-1	24AH-1	38,100	22,23	25,22	11,10	53,50	57,50	35,70	5,60	127,00	160,9	6,60
ASA 140H-1	28AH-1	44,450	25,40	25,22	12,70	57,60	62,20	41,00	6,40	172,40	217,3	8,30
ASA 160H-1	32AH-1	50,800	28,58	31,55	14,27	68,20	73,00	47,80	7,20	226,80	285,8	10,30
ASA 200H-1	40AH-1	63,500	39,68	37,85	19,85	86,60	93,50	60,00	9,50	353,80	444,5	19,16

**Duplex**

ASA 60H-2	12AH-2	19,050	11,91	12,57	5,94	55,30	57,10	18,00	3,25	26,11	63,60	84,5	3,71
ASA 80H-2	16AH-2	25,400	15,88	15,75	7,92	68,80	70,30	24,00	4,00	32,59	113,40	145,3	6,15
ASA 100H-2	20AH-2	31,750	19,05	18,90	9,53	82,70	86,00	30,00	4,80	39,09	177,00	225,9	9,03
ASA 120H-2	24AH-2	38,100	22,23	25,22	11,10	102,40	106,40	35,70	5,60	48,87	254,00	322,7	13,13
ASA 140H-2	28AH-2	44,450	25,40	25,22	12,70	109,80	114,40	41,00	6,40	52,20	344,80	437,7	16,60
ASA 160H-2	32AH-2	50,800	28,58	31,55	14,27	130,10	134,90	47,80	7,20	61,90	453,60	571,6	20,20
ASA 200H-2	40AH-2	63,500	39,68	37,85	19,85	164,90	171,80	60,00	9,50	78,31	707,60	894,9	38,11

**Triplex**

ASA 60H-3	12AH-3	19,050	11,91	12,57	5,94	81,40	83,20	18,00	3,25	26,11	95,40	113,9	5,54
ASA 80H-3	16AH-3	25,400	15,88	15,75	7,92	101,40	102,90	24,00	4,00	32,59	170,10	203,5	9,42
ASA 100H-3	20AH-3	31,750	19,05	18,90	9,53	121,80	125,10	30,00	4,80	39,09	265,50	314,8	12,96
ASA 120H-3	24AH-3	38,100	22,23	25,22	11,10	151,20	155,20	35,70	5,60	48,87	381,00	444,7	19,64
ASA 140H-3	28AH-3	44,450	25,40	25,22	12,70	162,00	166,60	41,00	6,40	52,20	517,20	598,4	24,90
ASA 160H-3	32AH-3	50,800	28,58	31,55	14,27	192,00	196,80	47,80	7,20	61,90	680,40	787,3	30,10
ASA 200H-3	40AH-3	63,500	39,68	37,85	19,85	243,20	250,10	60,00	9,50	78,31	1061,40	1228,2	57,06

Označenie reťaze	Rozteč	Priemer val.	Vnútna šírka		Čap		Doštička článku		Priečna rozteč	Minim. pevn.	Priemer. pevn.	Priemer. hmot
	P	A	B	C	D	E	F	g	H	kN	kN	kg/m
<b>Európska norma</b>												
12BHP	19,05	12,07	11,68	5,94	25,2	26,8	16	2,42		40	44,4	1,45